

Invitation to Bid

The City of Canton, Missouri is seeking sealed bids for the construction of a memorial structure to be located in Veterans Memorial Park, 1002 Brose Ave, Canton MO 63435. The work consists of site preparation, reinforced concrete, and the installation of a park bench as well as furnishing and installing a granite monument stone.

Bid packets may be obtained at Canton City Hall, 400 Lewis St., Canton MO 63435, by email to cantonicityclerk@centurytel.net, or by phone at 573-288-4413. Bids should be submitted in a sealed envelope marked Veterans Memorial. Bids will accepted until 2:00 pm on August 9, 2022, at which time they will be publicly opened and read.

The City of Canton intends to award the work based on the bid that in the City's sole discretion best meets the interest and requirements of the City. The City reserves the right in the City's sole discretion to reject any or all bids, to waive technicalities or deficiencies in any or all bids, to negotiate with any or all bidders or others for more favorable terms or prices, and to award a contract to other than the bidder submitting the lowest cost bid proposal, with or without negotiation. The City reserves the right not to open a sole bid.

PROPOSED VETERANS MEMORIAL

1. Project Description. The project consists of constructing a Veterans Memorial in Veterans Memorial Park, Canton, Missouri. The work will include site preparation, constructing a reinforced concrete pad and connecting walks, procuring and installing an engraved granite monument, furnishing and installing a park bench and constructing a base for a flagpole.

2. Specifications for the work are in the paragraphs below.

a. Site Preparation. The site for the proposed memorial will be staked in the park by the owner. The contractor will be responsible for grading and leveling the site in preparation for the memorial. The portions of the site where fill is required will be thoroughly compacted in order to prevent excessive settlement.

b. Crushed limestone base. The areas where the concrete slab and connecting sidewalks are to be constructed will require a 4 inch thick layer of compacted, crushed limestone. The contractor will furnish the 1 inch clean limestone that meets MoDOT standards, and make it ready for the concrete placement.

c. Concrete. The contractor shall furnish, place and finish concrete for the proposed memorial, including an 8'x8'x6" concrete pad, connecting sidewalks and a flag pole base. The flagpole and flag will be furnished by others. The concrete shall meet MoDOT specifications for similar applications and will be reinforced with #4 rebar as shown on the drawings. All concrete will have a thickness of 6 inches.

d. Granite Monument. The contractor will be responsible for furnishing and installing the monument. The monument will be black granite stone, polished smooth on the front side with engraving on it as shown on the drawings. The contractor should work with the monument supplier and submit a paper rendering or photo of the proposed final design, to the owner for approval before proceeding with the production of the final monument. The monument will be installed on a concrete base of its own constructed by the monument supplier, or as approved by the supplier.

e. Bench. The bench shall be of the size, type and style or design that matches the other, existing benches already in the park.

f. Flagpole base. The flagpole base will be of the same design and configuration as the existing one in Central Park, Canton, Mo.

**PROPOSED VETERANS MEMORIAL
BIDDING SCHEDULE**

1. Site Preparation, stone base	sum job	\$ _____
2. Reinforced Concrete work	sum job	\$ _____
3. Granite monument, in place	sum job	\$ _____
4. Bench	sum job	\$ _____
5. Flag pole base	sum job	\$ _____
	Total	\$ _____

Company Name _____

Address _____

E-mail Address _____

Phone Numbers **Office:** _____

Cell: _____

Signature _____

Printed Name _____

Date _____